

DAİRESEL KESİTLİ DEBİ REGLAJ DAMPERLERİ CIRCULAR VOLUME CONTROL DAMPERS




EVCY

Egevent EVCY modeli hava damperleri dairesel kesitli kanatlarda hava akışını kesmek veya ayarlamak için kullanılırlar. EVCY modeli damperlerin kanat ve gövdeleri galvanizli sacdan, mili St.37 çelikten ve mil yatakları özel plastikten yapılmaktadır. Standart kanatlar tek kalınlıklı olup müşteri talebi üzerine çift kalınlıklı ve neopren contalı olarak da yapılmaktadır. Ancak bu hususun sipariş anında belirtilmesi gerekir. Kanat hareket mekanizmaları plastik kollu ve kilit tertibatlı, metal kollu ve kilit tertibatı beya motor montaj kaideli olarak yapılır. Müşteri talebi üzerine servomotor montajı yapılmaktadır. Standart çaplar Ø 100mm ila Ø450mm olup daha büyük çapların özel olarak üretimi mümkündür.

Egevent EVCY model air dampers are suitable for regulating or shutting off the air flow in air ducts with circular cross-sections. In EVCY model dampers the blade housing is manufactured from hot-dipped galvanized sheets. The shaft is made from St.37 carbon steel and the bushing are made from special plastics. Standart blade practice is single thickness but it is possible to manufacture double-thickness blades with neoprene gaskets which must be specified during purchase. The blade actuating mechanism is either manual plastic handle with locking mechanism, manual metal handle with locking mechanism or with base for at site actuator assembling. Actuator assembly at Izven facilities is possible upon demand. It is also possible to mount other brands if supplied by the customer. Standart diameters are Ø 100mm ila Ø450mm. Larger diameters may be produced as non-standart items.

ÖLÇÜLER / DIMENSIONS




M
Metal kollu/With metal locking quadrant

P
Plastik kollu/With plastic locking quadrant



EVCY....M		
Ebat Size	Ölçüler/Dimensions	
	L(mm)	Ø D(mm)
100	150	98
125	175	123
150	200	148
160	210	158
200	250	198
225	275	223
250	300	248
280	300	278
315	350	313
355	400	354
400	400	398
450	400	448


EVCY....M		
Ebat Size	Ölçüler/Dimensions	
	L(mm)	Ø D(mm)
100	150	98
125	175	123
150	200	148
160	210	158
200	250	198
225	275	223
250	300	248
280	300	278
315	350	313
355	400	354
400	400	398
450	400	448

SEÇİM TABLOSU / SELECTION DIAGRAMS



SERVOMOTOR BAĞLANTILARI / ACTUATOR CONNECTIONS





Servomotorlu uygulama / Alternative with actuator

SİPARİŞ NOTASYONU / HOW TO ORDER

